

## Platform Services

### Security & Management

- Portal
- Active Directory
- Multi-Factor Authentication
- Automation
- Key Vault
- Store / Marketplace
- VM Image Gallery & VM Depot

### Compute

- Cloud Services
- Service Fabric
- Batch
- Remote App

### Web and Mobile

- Web Apps
- API Apps
- API Management
- Mobile Apps
- Logic Apps
- Notification Hubs

### Developer Services

- Visual Studio
- Azure SDK
- Team Project
- Application Insights

### Hybrid Operations

- Azure AD Connect Health
- AD Privileged Identity Management
- Backup
- Operational Insights
- Import/Export
- Site Recovery
- StorSimple

### Integration

- Storage Queues
- Biztalk Services
- Hybrid Connections
- Service Bus

### Analytics & IoT

- HDInsight
- Machine Learning
- Data Factory
- Event Hubs
- Stream Analytics
- Mobile Engagement

### Data

- SQL Database
- SQL Data Warehouse
- Redis Cache
- Search
- DocumentDB
- Tables

### Media & CDN

- Media Services
- Content Delivery Network (CDN)

## Infrastructure Services

### Compute

- Virtual Machines
- Containers

### Storage

- BLOB Storage
- Azure Files
- Premium Storage

### Networking

- Virtual Network
- Load Balancer
- DNS
- Express Route
- Traffic Manager
- VPN Gateway
- Application Gateway

## Datacenter Infrastructure (38 Regions)





# Discover World Class Security at Microsoft's Datacenters

Zum Beenden des Vollbildmodus | Esc | drücken




WEITERE VIDEOS



▶ 🔊 0:09 / 2:01




















## Functional




## Geographic




## Business Division





OWASP Top 10 - 2013	→	OWASP Top 10 - 2017
A1 – Injection	→	A1:2017-Injection
A2 – Broken Authentication and Session Management	→	A2:2017-Broken Authentication
A3 – Cross-Site Scripting (XSS)	↘	A3:2017-Sensitive Data Exposure
A4 – Insecure Direct Object References [Merged+A7]	U	A4:2017-XML External Entities (XXE) [NEW]
A5 – Security Misconfiguration	↘	A5:2017-Broken Access Control [Merged]
A6 – Sensitive Data Exposure	↗	A6:2017-Security Misconfiguration
A7 – Missing Function Level Access Contr [Merged+A4]	U	A7:2017-Cross-Site Scripting (XSS)
A8 – Cross-Site Request Forgery (CSRF)	☒	A8:2017-Insecure Deserialization [NEW, Community]
A9 – Using Components with Known Vulnerabilities	→	A9:2017-Using Components with Known Vulnerabilities
A10 – Unvalidated Redirects and Forwards	☒	A10:2017-Insufficient Logging&Monitoring [NEW,Comm.]



Search (Ctrl+/)

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems

SETTINGS

- Configuration
- Web application firewall
- Backend pools
- HTTP settings
- Frontend IP configurations
- Listeners
- Rules
- Health probes
- Properties
- Locks
- Automation script

MONITORING

- Metrics
- Alert rules
- Diagnostics logs
- Backend health

Save Discard

Firewall status

Enabled Disabled

Firewall mode

Detection Prevention

Rule set

OWASP 2.2.9

Advanced rule configuration


Search rules

ENABLE...	NAME	DESCRIPTION
<input checked="" type="checkbox"/>	crs_20_protocol_violations	
<input checked="" type="checkbox"/>	crs_21_protocol_anomalies	
<input checked="" type="checkbox"/>	960006	Empty User Agent Header
<input checked="" type="checkbox"/>	960007	Empty Host Header
<input checked="" type="checkbox"/>	960008	Request Missing a Host Header
<input checked="" type="checkbox"/>	960009	Request Missing a User Agent Header
<input checked="" type="checkbox"/>	960015	Request Missing an Accept Header
<input checked="" type="checkbox"/>	960017	Host header is a numeric IP address
<input checked="" type="checkbox"/>	960021	Request Has an Empty Accept Header
<input checked="" type="checkbox"/>	960904	Request Containing Content, but Missing Content-Type header
<input checked="" type="checkbox"/>	crs_23_request_limits	
<input checked="" type="checkbox"/>	crs_30_http_policy	
<input checked="" type="checkbox"/>	crs_35_bad_robots	
<input checked="" type="checkbox"/>	crs_40_generic_attacks	
<input checked="" type="checkbox"/>	crs_41_sql_injection_attacks	


# External Configuration Store Pattern




# Azure Service Bus



# Azure Key Rotation







I Think My Computer Hates Me

**ESPN**  
**BASEBALL**  
**TONIGHT**

**UPDATE**

**FANTASY**  
**IMPACT**

**FREEMAN (ATL)**  
1-4, HR(4) 2 RBI

**KEMP: 1-4**  
**HR (12) RBI**

**DODGERS 2**  
**ROCKIES 6**

**MIL vs SD**  
**UPDATE**

**DELMON YOUNG**  
**SUSPENDED**



SSID: MLB-Press  
Password: BWAA#2012  
  
SSID: MLB-Photo  
Password: Photo#2012




**MLB** ... me last week after fight outside New York hotel during which police sa



13  
TITRES

DAVID DELOS  
JOURNALISTE TV5 MONDE




Wi-Fi Access

ID: marko  
ID: w3Lc0m3!!HERE

W PASSWORD \*\*\*\*\*  
s case-sensitive  
o "Forget" or "Remove"

CBS  
THIS  
MORNING

**SUPER BOWL SECURITY**  
INSIDE SECRET, FIRST-OF-ITS-KIND COM






Browser



AAD



Website



Your account

## Security alert

We think someone else may have accessed the account [V-KAULF@microsoft.com](mailto:V-KAULF@microsoft.com). We require you to verify your identity with a security challenge and then change your password before you sign in again.

If someone else has access to your account, they have your password and might be trying to access your personal information or send junk email.

If you have not already recovered your account, we can help you do it now.

[Recover account](#)

Learn how to [make your account more secure](#).

Thanks,  
The security team

An: Erin Oliver

Betreff: Konto gesperrt



■ Guten Tag!

Unser System hat ungewöhnliche Vorgänge bei Ihrem Konto festgestellt. ■ Wir haben Ihr Konto vorübergehend gesperrt. Melden Sie sich bitte über nachfolgenden Link an, um Ihre Kontodetails zu verifizieren und Ihr Konto zu reaktivieren. ■ Wenn Sie dies nicht innerhalb der nächsten 4 Stunden erledigen, wird Ihr Konto dauerhaft deaktiviert.

■ <http://login.microsoft.com>

Vielen Dank

Microsoft-Supportteam

(800) 642-7676

[support@microsoft.com](mailto:support@microsoft.com)

© 2016 Microsoft. Alle Rechte vorbehalten.

# What is an External User?

“An **external user** is someone **outside** of your organization who can access your SharePoint Online sites and documents but does **not have a license** for your SharePoint Online or Microsoft Office 365 subscription. External users are not employees, contractors, or onsite agents for you or your affiliates.”

**Microsoft**

## What can an External User Do?

---

External  
Users can...

Use Office Online for viewing and editing documents.

---

Perform tasks on a site consistent with the permission level that they are assigned.

---


See other types of content on sites like site news feeds.

---

## What can't an External User Do?


External Users can't	Create their own personal sites.
	Be an Administrator of a Site Collection
	See Company-wide newsfeed
	Add Storage to Tenant Storage Pool
	Access Search Center
	Access Site Mailboxes
	Access PowerBI features
	Use eDiscovery
	Open IRM protected documents

# Making hybrid identity simple



Azure Active Directory Connect

Consolidated deployment assistant for your identity bridge components.



### Cloud Identity



Azure Active Directory

Independent cloud identity

### Synchronized Identity



Azure Active Directory

Azure AD Connect and Password Sync

Active Directory

Single identity, enabling a same sign-on experience with password hash sync

### Federated Identity




Azure Active Directory

Azure AD Connect

Federation

Active Directory

Single federated identity, enabling single sign-on in some scenarios and additional flexibility





Info

New

Open

Save

Save As

Print

Share

Export

Close

Account

Options

# Account

## User Information



Alex Darrow

alex.d@treylresearch001.onmicrosoft.com

[Change photo](#)[About me](#)[Sign out](#)[Switch Account](#)

## Office Background:

Circuit

## Office Theme:

White

## Connected Services:



Contoso

AlexD@treylresearch001.onmicrosoft.com

[Add a service](#)

## Product Information



Resolve

### Product Deactivated

Microsoft Office 365 ProPlus

This product contains

[Manage Account](#)

To keep using Word without interruption, please reactivate now.

Update  
Options

### Office Updates


Updates are automatically downloaded and installed.

Version: 15.0.4481.1530

About  
Word

### About Word

Learn more about Word, Support, Product ID, and Copyright information.





## Product Deactivated

To keep using Word without interruption, choose an option below to reactivate.


Enter Key

I have a product key.

Sign In

Add this computer to an active account.







Search users, admin tasks and...



Tap or click here to go to the new admin center.

DASHBOARD

SETUP

USERS

COMPANY PROFILE

IMPORT

CONTACTS

SHARED MAILBOXES

MEETING ROOMS

GROUPS

DOMAINS

PUBLIC WEBSITE

BILLING

EXTERNAL SHARING

SERVICE SETTINGS

REPORTS

SERVICE HEALTH

SUPPORT

PURCHASE SERVICES

MESSAGE CENTER

TOOLS

ADMIN

Watch the video to get started quickly

### Service overview

#### Service health

2 issues

#### Customer Lockbox requests

No Customer Lockbox requests

#### Service requests

No open service requests

#### Mail protection

Getting data...

#### Message center

2 new messages in the past 7 days

#### Current health

Azure Information Protection

No issues

Exchange

Restoring service

Identity Service

No issues

Mobile Device Management for Office 365

No issues

Office 365 Portal

No issues

Office Subscription

No issues

Planner

No issues

Power BI

Service degraded

SharePoint

No issues

Skype for Business

No issues

Sway

No issues

Yammer Enterprise

No issues

#### admin shortcuts

Reset user passwords

Add new users

Assign user licenses

Download software

#### Office 365 Admin on mobile

Text me the download link

Standard message rates may apply.



Feedback



You just got this app for everyone  
in your organization.

CollaboGraph by Puzzlepart

Add this app to Karsten Ulferts

You can add this app later on any site you can manage, or return to the [SharePoint Store](#) to get more apps.

[Return to site](#)

Most active collaborator is **Katie Jordan** co-authoring on **0** items, while **Katie Jordan** rank **#1** of 14

The bunch of **Katie Jordan, Kari Furse, Tony Krijnen, Allie Bellew, Aziz Hassouneh, Anne Wallace, Alex Darrow, Denis Dehenne, Rob Katie Jordann, Zrinka Makovac, Garth Fort, Sara Davis, Molly Dempsey** and **Robin Counts** refuse to collaborate in public

Most social collaborator is **Katie Jordan** with a reach of **1** colleagues. You rank **#1** of 14 with a reach of **1**

Most active ego content producer is **Garth Fort** with **84** items produced all alone (vs. 0 collab). You rank **#4** of 14 with **22** items

**Katie Jordan** is the most frequent saver with an average of **1** saves per item. You rank **#1** of 14 with an average of **1** saves

If you're afraid to lose your work, talk to **Allie Bellew** who saved a single item a total of **2(!)** times. You rank **#5** of 14 with a top save count of **1**

#1 item starter is **Katie Jordan** igniting a whopping **0** items. You rank **#1** of 14 by creating **0** new item(s)

Last dude on the ball **0** times was **Katie Jordan**. You rank **#1** of 14 with a measly **0**

Browser tabs: Storage - Windows Azure, Management Portal - Win...

Address bar: <https://windows.azure.com/>

Language: English | Billing | Matt Milner | SI

Common Tasks: New Hosted Service, New Storage Account, New Database Server, Connect

Navigation: Getting Started, Common Tasks, Help and Support, Beta Programs

Home: Hosted Services, Storage Accounts & CDN, Database, Data Sync, Reporting, Service Bus, Access Control & Caching, Virtual Network

## Getting Started with Windows Azure

- 1 Install the Windows Azure Tools**  
Get Windows Azure Tools for Visual Studio and other downloads to start building and debugging applications for Windows Azure. >
- 2 Create your first Windows Azure local application**  
Learn how to create a simple ASP.NET application in Visual Studio for Windows Azure. >
- 3 Deploy and run your Windows Azure application**  
Learn how to deploy and run your sample application in Windows Azure. >

Ready | Take me to the new portal | © 2013 Microsoft Corporation | Privacy & Cookies | Terms of Use | Help and Support

ALL ITEMS

WEB APPS  
2

VIRTUAL MACHINES  
2

MOBILE SERVICES  
0

CLOUD SERVICES  
2

BATCH SERVICES  
0

SQL DATABASES  
0

STORAGE  
1

HDINSIGHT  
0

MEDIA SERVICES  
0

SERVICE BUS  
0

# all items

NAME	TYPE	STATUS	SUBSCRIPTION	LOCATION	
languageprogramming →	Web app	✓ Running	BizSpark	East US	
tutorials-code	Web app	✓ Running	BizSpark	East US	
portalvhds8cvsmwb600b7	Storage Account	✓ Online	BizSpark	West Europe	
laerti	Cloud service	■ Stopped	BizSpark	West Europe	
vlor	Cloud service	■ Stopped	BizSpark	West Europe	
laerti	Virtual machine	■ Stopped (D...	BizSpark	West Europe	
vlor	Virtual machine	■ Stopped (D...	BizSpark	West Europe	
Default Directory	Directory	✓ Active	Shared by all Default Dir...	Europe, United States	



NEW



BROWSE



STOP



RESTART



MANAGE DOMAINS



DELETE



WEBMATRIX



<https://storagesample.blob.core.windows.net/sample-container/sampleBlob.txt?sv=2015-07-08&sr=b&sig=39Up9JzHkxhUIhFEJEH9594Djxe7w6cIRCg0V6ICGSo%3D&se=2016-10-18T21%3A51%3A37Z&sp=rcw>

Storage Resource URI


SAS Token




Datenschutz: Wie DSGVO-konform ist die Azure-Cloud von T-Systems?


# Glauben statt wissen


Lukas Grunwald



## Import Job Flow







Total Space occupied

A  
(A1, A2, ..., A10)

A9  
A4  
A3  
A2

A5

First backup  
Second backup  
Third backup

Full Backup

A  
(A1, A2, ..., A10)

A2, A3, A4, A9

A2, A3, A4, A5, A9

First backup  
Second backup  
Third backup

Differential Backup


A  
(A1, A2, ..., A10)


A2, A3, A4, A9


A5

First backup  
Second backup  
Third backup

Incremental Backup







**ADRP**  
ContosoVault

Settings Customize Test failover Cleanup test failover More

Essentials ^

Recovery Services vault  
ContosoVault  
Start groups  
1  
Source  
On-premises  
Deployment model  
Resource Manager

Items in rec  
1  
Scripts  
0  
Target  
Azure

Planned failover  
Failover  
Reverse Replicate  
Commit  
Delete

All settings →

Items in recovery plan

Source	Target
1 	0 

**Failover**  
ADRP

### Failover direction

From 

merisite

To 

Microsoft Azure

1 of 1 virtual machines will be failed over.

[Change direction](#)

### Recovery Point

Choose a recovery point 

Latest (lowest RPO) 


### Shutdown machines


Shut down machines before beginning failover




R.A.W. @Phototender · 6. Okt.

@Airport\_FRA ihr wollt mich echt verpiepeiern... da nehme ich schon absichtlich einen früheren Flug und dann kriegt ihr es zum 5. Mal in den letzten 4 Wochen nicht gebacken 🤬 ich freue mich schon bald nur noch über @MUC\_Airport zu fliegen. What a joke 😏 #ftl #lufthansa #fml








Flow name test flow

Update flow Close



**Condition**

Object Name	Relationship	Value
SelectedOption	is equal to	Approve


Edit in advanced mode Collapse condition

IF YES	IF NO
<p><b>Send an email</b></p> <p>*To: Created By Email</p> <p>*Subject: Approved</p> <p>*Body: Vacation Approved</p>	<p><b>Send an email 2</b></p> <p>*To: Created By Email</p> <p>*Subject: Rejected</p> <p>*Body: Vacation rejected</p>
<p><b>Update item</b></p>	<p><b>Delete item</b></p>

**Notifications**

- Flow failed test flow
- Flow failed New approval flo

Show all activity



MarkQuestion **1** of 213 (Exam A, Q12)

**Note:** This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a server named Server1 that runs Windows Server 2016.

Server1 hosts a line-of-business application named App1. App1 has a memory leak that occasionally causes the application to consume an excessive amount of memory.

You need to log an event in the Application event log whenever App1 consumes more than 4 GB of memory.

Solution: You create a system configuration information data collector.

Does this meet the goal?

- A. Yes
- B. No

[Previous](#)[Next](#)[Review](#)[Show Answer](#)[Show List](#)[Save Session](#)[End Exam](#)

Mark

Time Remaining: 1:56:33

Item 3 of 15 (Exam B, Q3)

Hide Answer

Calculator

You use Microsoft Visual C# .NET to create a Windows-based application. The application includes a form named **OrderForm** for entering order information. You place controls on the form so it does not support resizing.

You must ensure that users cannot resize, minimize, or maximize **OrderForm**. Which three actions should you take? (Each answer presents a part of the solution. Choose three.)

- A. Set **OrderForm.MinimizeBox** to **False**.
- B. Set **OrderForm.Maximize** to **False**.
- C. Set **OrderForm.ControlBox** to **False**.
- D. Set **OrderForm.ImeMode** to **Disabled**.
- E. Set **OrderForm.WindowState** to **Maximized**.
- F. Set **OrderForm.FormBorderStyle** to **FixedSingle**.
- G. Set **OrderForm.ResizeBox** to **False**.

Answer: ABF

Section: Developing Windows-based Applications with Microsoft Visual C# .NET

For two requirements presented in this scenario, the form class has the corresponding properties. To disable the window maximization you should set the **Maximize** property to **False**, to disable the window minimization you should set the **MinimizeBox** property to **False**. To perform the third requirement (to disable the form resizing), just set the **FormBorderStyle** property to **FixedSingle**.

Reference:

Microsoft Visual Studio .NET Documentation, "Visual Basic and Visual C# Concepts", "Changing the Borders of Windows Forms".

Microsoft .NET Framework Documentation, ".NET Framework Class Library", "Form.MinimizeBox Property [C#]".

Microsoft .NET Framework Documentation, ".NET Framework Class Library", "Form.MaximizeBox Property [C#]".

**GET INTO PC**

Select 3 choices.

100%

Download Free Your Desired App  
Previous Next Review All

Pause

Save Session

End Exam

Mark

Time Remaining: 1:58:23

Item 1 of 15 (Exam A, Q1)

[Show Answer](#)[Exhibit](#)[Calculator](#)

You are a database developer for an online bookstore. You are creating a Microsoft SQL Server 2000 database that will store information about books, orders and customers. Each customer can place several orders and each order can contain a number of books. You create four tables: **Customers**, **Orders**, **OrderDetails** and **Books**. Their descriptions are shown in the following table:

Table	Description
Customers	Information about customers
Orders	Customer's orders
OrderItems	Ordered books
Books	Information about books

The database diagram is shown in the exhibit. Click the **Exhibit** button.

You need to calculate the cost of the certain order. Which script should you use? (Select the best choice.)

- A. 

```
SELECT OrderCost FROM OrderDetails AS od
INNER JOIN Books AS b ON b.BookID = od.BookID
GROUP BY SUM(b.Price) AS OrderCost
```
- B. 

```
SELECT SUM(b.Price * b.Quantity) FROM OrderDetails AS od
INNER JOIN Books AS b ON b.BookID = od.BookID
WHERE od.OrderID = 1003
```
- C. 

```
SELECT SUM(b.Price) FROM OrderDetails AS od
INNER JOIN Books AS b ON b.BookID = od.BookID
HAVING od.OrderID = 1003
```
- D. 

```
SELECT b.Price FROM OrderDetails AS od
INNER JOIN Books AS b ON b.BookID = od.BookID
WHERE (od.OrderID = 1003) and (SUM(b.Price)>0)
```

Select the best choice.

100%

[Previous](#)[Next](#)[Review All](#) ▼[Pause](#)[Save Session](#)[End Exam](#)




# Microsoft

## Server Virtualization with Windows Server Hyper-V and System Center

**CANDIDATE:** rasmus haslund  
**DATE:** Friday, January 03, 2014  
**EXAM NUMBER:** 074-409  
**PASSING SCORE:** 700  
**RESULT:** Pass

**CANDIDATE ID:**  
**SITE NUMBER:** dk89  
**REGISTRATION:** y40lon5048  
**YOUR SCORE:** 842

### SECTIONAL RESULTS:



### What do these results mean?

Congratulations! You have passed this Microsoft Certification exam. The information shown above indicates that you have met the minimum requirements for this exam. This information will be used to determine your certification status.



Home > Active users

[+ Add a user](#) [More](#) Filters All users  [↓ Export](#)

<input type="checkbox"/>	Display name ^	User name	Status	Sync Type
<input type="checkbox"/>	1 2	[REDACTED]	Office 365 Business Premium	In cloud
<input type="checkbox"/>	123	[REDACTED]	Unlicensed	In cloud
<input type="checkbox"/>	admin wang	[REDACTED]	Office 365 Business Premium	In cloud
<input type="checkbox"/>	Allan Lu	[REDACTED]ml#EXT#@wang...wangyy...	Unlicensed	In cloud
<input type="checkbox"/>	External User9	ex[REDACTED]com#EXT#@wan...	Unlicensed	In cloud
<input type="checkbox"/>	haiyu sky	si[REDACTED].com#EXT#@wan...	Unlicensed	In cloud

SQLQuery3.sql - HP-SPLIT.VisualBasic (HP-SPLIT\admin (55)) - Microsoft SQL Server Management Studio

File Edit View Query Project Debug Tools Window Help

VisualBasic Execute Debug

Object Explorer

- HP-SPLIT (SQL Server 12.0.4100.1 - HP-SPLIT\admin)
  - Databases
    - System Databases
    - Database Snapshots
    - VisualBasic
      - Database Diagrams
      - Tables
        - System Tables
        - FileTables
        - dbo.Resident
      - Views
      - Synonyms
      - Programmability
      - Service Broker
      - Storage
      - Security
    - Security
    - Server Objects
    - Replication
    - AlwaysOn High Availability
    - Management
    - Integration Services Catalogs
    - SQL Server Agent (Agent XPs disabled)

SQLQuery3.sql - HP...-SPLIT\admin (55) GenerateResidents....-SPLIT\admin (51)

```

/***** Script for SelectTopNRows command from SSMS *****/
SELECT TOP (1000) [ResidentId]
, [FirstName]
, [LastName]
, [Address]
, [City]
, [State]
, [ZipCode]
, [DateEntered]
FROM [VisualBasic].[dbo].[Resident]
  
```

100 %

Results Messages

ResidentId	FirstName	LastName	Address	City	State	ZipCode	DateEntered
37	Leigh	Brandt	3439 Riverside Way, MidAmerican ...	Closter	FL	89981	1970-01-01 23:2
38	Hoyt	Lash	2780 Buttonwood Pkwy, 6th Floor	San Francis...	SC	14529	1970-01-01 17:5
39	Alejandro	Hagen	764 Hidden Famview Ln,	Cresskill	GA	55853	1970-01-01 00:0
40	Wilbur	Shank	302 SW Edgewood Ct, 42th Floor	Santa Paula	SC	39553	1976-01-02 05:2
41	Michel	Hemann	906 South Highland Ct, 9th Floor	Grand Junc...	LA	80309	1970-01-01 00:0
42	Keenan	Emmons	3049 Quailwood Dr,	Bronxville	CO	52062	1991-05-16 07:1
43	Jeannine	Hager	802 NW Riverview Dr,	Winchester	WI	81627	2010-04-15 08:2
44	Ernestine	Eng	1660 Rock Hill Court, 8th FL	South Hill	TN	07553	1970-01-01 00:0
45	Tami	Quintero	3518 Hunting Hill Blvd, 85th Floor	Maryville	NV	06168	1970-01-01 00:0
46	Lonnie	Morehead	1756 E Riverview Way,	Covington	GA	63277	1970-01-01 00:0

Query executed successfully. HP-SPLIT (12.0 SP1) HP-SPLIT\admin (55) VisualBasic 00:00:00 1000 rows

Properties

Current connection parameters

Aggregate Status

Connection failure:

Elapsed time 00:00:00.294

Finish time 5/6/2017 3:23:32 PM

Name HP-SPLIT

Rows returned 1000

Start time 5/6/2017 3:23:32 PM

State Open

Connection

Connection name HP-SPLIT (HP-SPLIT\ac

Connection Details

Connection elapse: 00:00:00.294

Connection encryp Not encrypted

Connection finish t 5/6/2017 3:23:32 PM

Connection rows re 1000

Connection start ti 5/6/2017 3:23:32 PM

Connection state Open

Display name HP-SPLIT

Login name HP-SPLIT\admin

Server name HP-SPLIT

Server version 12.0.4100


Session Tracing ID

SPID 55

Name

The name of the connection.

Ready Ln 1 Col 1 Ch 1 INS



SQLQuery3.sql - SQL01.WideWorldImporters (MOUNTAIN\vmad... SQL01 on HOST01

File Edit View Project Debug Tools Window Help

WideWorldImporters Execute Debug

Object Explorer

Connect

SQL01 (SQL Server 13.0.5026.0 - MO...)

- Databases
  - System Databases
  - Database Snapshots
  - WideWorldImporters
    - Database
    - Tables
      - System
      - File
      - Extended
      - Application
      - PurchasingSuppliers
      - PurchasingSupplierT
      - SalesBuyingGroups

SQLQuery3.sql - S...T

```

/***** Scr
SELECT TOP
, [Sup
, [Ord
, [De]
, [Cor
, [Exp

```

Tasks

- New Database...
- New Query
- Script Database as
- Tasks
- Policies
- Facets
- Start PowerShell
- Reports
- Rename
- Delete
- Refresh
- Properties

Detach...

Take Offline

Bring Online

Stretch

Encrypt Columns...

Classify Data...

Vulnerability Assessment

Shrink

Back Up...

Restore

Mirror...

Launch Database Mirroring Monitor...

Ship Transaction Logs...

Generate Scripts...

Generate In-Memory OLTP Migration Checklists

Extract Data-tier Application...

Deploy Database to Microsoft Azure SQL Database...

Export Data-tier Application...

Register as Data-tier Application...

Upgrade Data-tier Application...

Delete Data-tier Application...

Import Flat File...

Generic Debugger

Properties

Current connection parameters

Aggregate Status

Connection failure

Elapsed time 00:00:00.1874948

Finish time 10.07.2018 11:24:02

Name SQL01

Rows returned 1000

Start time 10.07.2018 11:24:02

State Open

Connection

Connection name SQL01 (MOUNTAIN\vmad...)

Connection Details

Connection elapse 00:00:00.1874948

Connection encryp Not encrypted

Connection finish t 10.07.2018 11:24:02

Connection rows r 1000

Connection start ti 10.07.2018 11:24:02

Connection state Open


Display name SQL01


Login name MOUNTAIN\vmadr...


Server name SQL01

Server version 13.0.5026


ExpectedDeliveryDate	SupplierReference	IsOrder
2013-01-15	B2084020	1
2013-01-15	293092	1
2013-01-15	08803922	1
2013-01-15	BC0280982	1
2013-01-15	ML0300202	1
2013-01-15	237408032	1
2013-01-22	293092	1
2013-01-22	08803922	1







**AZURE DATA FACTORY ORCHESTRATES PIPELINE WORKFLOW & SCHEDULING**





Cloud Discovery Continuous report Global view Last 30 days

Dashboard Discovered apps IP addresses Users

Apps 128 Users 5875 IPs 3861 Traffic 9.5TB 1.7 TB 7.8 TB

Cloud Discovery open alerts + Create policy


8 New app alerts | 14 Suspicious usage alerts






Top users | [Top IP addresses](#) [View all users](#) Traffic

User	Total
James Lake	120 MB
Michael Spalding	118 MB
Daryl Snow	110 MB
Lorry Bloomberg	98 MB
Mike Maple	97 MB






FD 0



FD 1



FD 2

